

8/17/97
 Class
 Subclass
 ISSUE CLASSIFICATION
 SCANNED

5840967
 5840967

NOV 24 1998

SERIAL NUMBER 08/845,134	FILING DATE 04/21/97	CLASS 562	SUBCLASS 433	GROUP ART UNIT 1204 1621	EXAMINER KILLOS
-----------------------------	-------------------------	--------------	-----------------	--------------------------------	--------------------

APPLICANTS TRYGVE GULBRANDSEN, OSLO, NORWAY; ODD EINAR INGOLDSTAD, OSLO, NORWAY;
 LARS TERJE HOLMAAS, OSLO, NORWAY.

CONTINUING DATA***
 VERIFIED PROVISIONAL APPLICATION NO. 60/029,143 10/21/96

FOREIGN/PCT APPLICATIONS***
 VERIFIED SAHRAIN United Kingdom 9618055.9 08/29/96

Foreign priority claimed 35 USC 119 conditions met	<input checked="" type="checkbox"/> yes <input type="checkbox"/> no <input checked="" type="checkbox"/> yes <input type="checkbox"/> no	AS FILED →	STATE OR COUNTRY NOX	SHEETS DRWGS. 0	TOTAL CLAIMS 11	INDEP. CLAIMS 3	FILING FEE RECEIVED \$1,030.00	ATTORNEY'S DOCKET NO. REF/DEHN
---	--	---------------	-------------------------	--------------------	--------------------	--------------------	-----------------------------------	-----------------------------------

ADDRESS SACON & THOMAS
 625 SLATERS LANE 4TH FLOOR
 ALEXANDRIA VA 22314

ISSUE FEE IN FILE

TITLE PROCESS FOR THE PREPARATION OF CONTRAST AGENTS

U.S. DEPT. OF COMM./PAT. & TM—PTO-436L (Rev.12-84)

PARTS OF APPLICATION FILED SEPARATELY		APPLICANTS' EXAMINER	
NOTICE OF ALLOWANCE MAILED 8-19-98		CLAIMS ALLOWED Total Claims 12 Print Claim 1	
ISSUE FEE Amount Due \$1380.00 Date Paid 6/17/98		DRAWING Sheets Drwg. Figs. Drwg. Print Fig.	
Label Area		ISSUE BATCH NUMBER B89	
Assistant Examiner PAUL L. KILLOS PRIMARY EXAMINER ART UNIT 126 1621 Primary Examiner		PREPARED FOR ISSUE	
WARNING: The information disclosed herein may be restricted. Unauthorized disclosure may be prohibited by the United States Code Title 35, Sections 122, 181 and 368. Possession outside the U.S. Patent & Trademark Office is restricted to authorized employees and contractors only.			

Form PTO-436A
 (Rev. 8/92)
 SCAN E B W
 KP OC DW J

BEST AVAILABLE COPY